

专业太阳能 冰箱冷柜制造商

Professional manufacturer of solar-powered
refrigerators and freezers

佛山市冰晶电子科技有限公司

ICECROWN ELECTRONIC TECHNOLOGY CO., LTD.

📍 Add: Ronggui Sub - district, Shunde District, Foshan City
☎ Tel: Email 13113738386
✉ : FAX: icecrownsale@foxmail.com
💻 Wechat: 86-757-22909523
🌐 Website: 13113738386
🌐 <http://icecrown1688.en.alibaba.com/>
🌐 <http://icecrown.1688.com/>



CAMPANY PROFILE

公司简介

佛山市冰晶电子科技有限公司成立于2013年，拥有20多年的冰箱技术经验，员工100余人，总建筑面积约5000平方米。我们是一家专业从事嵌入式和台下式抽屉冰箱、冰柜、酒柜、饮料柜以及各种交流/直流冰箱的研发和生产的公司。我们在直流压缩机冷水机组和气体冷水机组领域拥有丰富的经验。秉承创新精神，我们结合使用R600a/R134a/R290制冷剂、直流压缩机以及我们独有的专利技术，开发出环保、直流、高性能的冰箱系列：我们开发了太阳能压缩机制冷系统，最低功耗低于20W。工厂可生产两种类型的冰箱：交流（100V-240V）压缩机冰箱和直流（12V-24V-36V-48V）压缩机冰箱。我们的太阳能卧式冰柜无需电池即可工作，只需连接太阳能电池板，即可在阳光充足时自动以最高速度运行，产生更大的制冷量。我们将继续秉承“质量第一，客户至上”的宗旨，竭诚为您提供最满意的产品和服务（售前和售后）！

Icecrown Electronic Technology Co., Ltd. was founded in 2013, with more than 20 years of refrigerator technology experience, more than 100 employees, a total construction area of about 5,000 square meters. We are a company specializing in the development and production of built-in & built-under drawer fridges freezers refrigerators, wine-cooler, beverage-cooler and various AC/DC refrigerators. We have extensive experience in the field of DC compressor chillers and gas chillers. In a spirit of innovation and innovation, we combine the use of R600a/R134a/R290 refrigerant, the use of DC compressor, and the use of our patented unique technology to develop an environmentally friendly, DC, high-performance refrigerator line: We have developed a solar compressor refrigeration system with a minimum power consumption of less than 20W.

The factory can produce two kinds of refrigerators: AC (100V-240V) compressor refrigerator, DC (12V-24V-36V-48V) compressor refrigerator, Our solar chest freezer can work without batteries, only with solar panels, and can automatically operate at the highest speed when the sun is shining, generating more cooling capacity.

We will continue to uphold the "quality first, customer first" purpose, dedicated to provide you with the most satisfactory products and services (pre-sale and after-sales)!

CERTIFICATIONS


资质证书 | 权威认证 品质保证 值得信赖
Authoritative certification and reliable quality assurance



欧盟安全认证
EU Security Certification



欧盟REACH认证
EU REACH Certification



ISO9001质量体系认证
ISO9001 Quality System Certification



CE-EMC认证
Electromagnetic Compatibility






BC-30

White/Silver



- Net capacity: 30L
- Fridge capacity: 30L
- Input voltage: DC12/24V/48V
AC100-240V (Optional)
- Input Power: 20W
- Temperature control: Mechanical
- Defrosting: Manual
- G.W./N.W.: 15kg/17kg
- Product Size: 425*415*490mm
- Packaging size: 470*480*520mm
- Loading capacity (40'HQ): 500 units



BC-50

White/Silver



- Net capacity: 50L
- Fridge capacity: 45L
- Freezer capacity: 5L
- Input voltage: DC12/24V/48V
AC100-240V (Optional)
- Input Power: 20W
- Temperature control: Mechanical
- Defrosting: Manual
- G.W./N.W.: 15kg/17kg
- Product Size: 450*480*520mm
- Packaging size: 520*555*560mm
- Loading capacity (40'HQ): 368 units



BC-60

White/Silver



- Net capacity: 60L
- Fridge capacity: 60L
- Input voltage: DC12/24V/48V
AC100-240V (Optional)
- Input Power: 20W
- Temperature control: Mechanical
- Defrosting: Manual
- G.W./N.W.: 16kg/18kg
- Product Size: 425*415*710mm
- Packaging size: 470*480*750mm
- Loading capacity (40'HQ): 300 units



BC-75

White/Silver



- Net capacity: 75L
- Fridge capacity: 70L
- Freezer capacity: 5L
- Input voltage: DC12/24V/48V
AC100-240V (Optional)
- Input Power: 20W
- Temperature control: Mechanical
- Defrosting: Manual
- G.W./N.W.: 17kg/19kg
- Product Size: 450*480*690mm
- Packaging size: 520*555*760mm
- Loading capacity (40'HQ): 276 units



BC-90

White/Silver



- Net capacity: 90L
- Fridge capacity: 75L
- Freezer capacity: 15L
- Input voltage: DC12/24V/48V
AC100-240V (Optional)
- Input Power: 20W
- Temperature control: Mechanical
- Defrosting: Manual
- G.W./N.W.: 20kg/22kg
- Product Size: 445*470*825mm
- Packaging size: 520*555*850mm
- Loading capacity (40'HQ): 228 units



BC-100

White/Silver



- Net capacity: 100L
- Fridge capacity: 85L
- Freezer capacity: 15L
- Input voltage: DC12/24V/48V
AC100-240V (Optional)
- Input Power: 20W
- Temperature control: Mechanical
- Defrosting: Manual
- G.W./N.W.: 20kg/22kg
- Product Size: 450*480*820mm
- Packaging size: 520*555*850mm
- Loading capacity (40'HQ): 276 units





BD-40

White/Silver



- Net capacity: 40L
- Freezer capacity: 40L
- Input voltage: DC12/24V/48V
AC100-240V (Optional)
- Input Power: 20W
- Temperature control: Mechanical
- Defrosting: Manual
- G.W./N.W.: 16kg/18kg
- Product Size: 450*480*520mm
- Packaging size: 520*555*560mm
- Loading capacity (40'HQ): 444 units



BD-60

White/Silver



- Net capacity: 60L
- Freezer capacity: 60L
- Input voltage: DC12/24V/48V
AC100-240V (Optional)
- Input Power: 20W
- Temperature control: Mechanical
- Defrosting: Manual
- G.W./N.W.: 16kg/18kg
- Product Size: 450*480*760mm
- Packaging size: 520*555*790mm
- Loading capacity (40'HQ): 276 units



BD-90

White/Silver



- Net capacity: 90L
- Freezer capacity: 90L
- Input voltage: DC12/24V/48V
AC100-240V (Optional)
- Input Power: 20W
- Temperature control: Mechanical
- Defrosting: Manual
- G.W./N.W.: 16kg/18kg
- Product Size: 485*580*870mm
- Packaging size: 540*620*920mm
- Loading capacity (40'HQ): 224 units



BCD-70

White/Silver



- Net capacity: 70L
- Fridge capacity: 50L
- Freezer capacity: 20L
- Input voltage: DC12/24V/48V
AC100-240V (Optional)
- Input Power: 20W
- Temperature control: Mechanical
- Defrosting: Manual
- G.W./N.W.: 16kg/18kg
- Product Size: 425*420*775mm
- Packaging size: 470*480*815mm
- Loading capacity (40'HQ): 288 units



BCD-80

White/Silver



- Net capacity: 80L
- Fridge capacity: 60L
- Freezer capacity: 20L
- Input voltage: DC12/24V/48V
AC100-240V (Optional)
- Input Power: 34W
- Temperature control: Mechanical
- Defrosting: Manual
- G.W./N.W.: 18kg/20kg
- Product Size: 425*415*865mm
- Packaging size: 470*480*905mm
- Loading capacity (40'HQ): 252 units



BCD-98

White/Silver



- Net capacity: 98L
- Fridge capacity: 68L
- Freezer capacity: 30L
- Input voltage: DC12/24V/48V
AC100-240V (Optional)
- Input Power: 34W
- Temperature control: Mechanical
- Defrosting: Manual
- G.W./N.W.: 23kg/26kg
- Product Size: 435*505*950mm
- Packaging size: 520*555*1015mm
- Loading capacity (40'HQ): 230 units



BCD-112

White/Silver



- Net capacity: 112L
- Fridge capacity: 75L
- Freezer capacity: 37L
- Input voltage: DC12/24V/48V
AC100-240V (Optional)
- Input Power: 41W
- Temperature control: Mechanical
- Defrosting: Manual
- G.W./N.W.: 26kg/28kg
- Product Size: 450*505*1005mm
- Packaging size: 520*555*1055mm
- Loading capacity (40'HQ): 230 units



BCD-118

White/Silver



- Net capacity: 118L
- Fridge capacity: 78L
- Freezer capacity: 40L
- Input voltage: DC12/24V/48V
AC100-240V (Optional)
- Input Power: 41W
- Temperature control: Mechanical
- Defrosting: Manual
- G.W./N.W.: 26kg/28kg
- Product Size: 425*415*1085mm
- Packaging size: 470*480*1125mm
- Loading capacity (40'HQ): 200 units



BCD-132

White/Silver

CE RoHS




- Net capacity: 132L
- Fridge capacity: 90L
- Freezer capacity: 42L
- Input voltage: DC12/24V/48V
AC100-240V (Optional)
- Input Power: 41W
- Temperature control: Mechanical
- Defrosting: Manual
- G.W./N.W.: 29kg/31kg
- Product Size: 450*505*1160mm
- Packaging size: 525*555*1230mm
- Loading capacity (40'HQ): 184 units

BCD-153

White/Silver

CE RoHS



- Net capacity: 153L
- Fridge capacity: 90L
- Freezer capacity: 60L
- Input voltage: DC12/24V/48V
AC100-240V (Optional)
- Input Power: 41W
- Temperature control: Mechanical
- Defrosting: Manual
- G.W./N.W.: 37kg/39kg
- Product Size: 485*505*1310mm
- Packaging size: 525*555*1380mm
- Loading capacity (40'HQ): 124 units



Solar DC Freezer Series

Solar Powered Long-Lasting Cold Lock



BD-100

White



- Net capacity: 108L
- Freezer capacity: 108L
- Input voltage: DC12/24V/48V
AC100-240V (Optional)
- Input Power: 42W
- Temperature control: Mechanical
- Defrosting: Manual
- G.W./N.W.: 28kg/32kg
- Product Size: 625*523*885mm
- Packaging size: 680*555*930mm
- Loading capacity (40'HQ): 184 units



BD-150

White



- Net capacity: 148L
- Freezer capacity: 148L
- Input voltage: DC12/24V/48V
AC100-240V (Optional)
- Input Power: 43W
- Temperature control: Mechanical
- Defrosting: Manual
- G.W./N.W.: 33kg/37kg
- Product Size: 710*540*835mm
- Packaging size: 750*575*880mm
- Loading capacity (40'HQ): 192 units



BD-228

White



- Net capacity: 228L
- Freezer capacity: 228L
- Input voltage: DC12/24V/48V
AC100-240V (Optional)
- Input Power: 48W
- Temperature control: Mechanical
- Defrosting: Manual
- G.W./N.W.: 36kg/40kg
- Product Size: 965*593*835mm
- Packaging size: 1020*620*880mm
- Loading capacity (40'HQ): 123 units



BD-258

White



- Net capacity: 258L
- Freezer capacity: 258L
- Input voltage: DC12/24V/48V
AC100-240V (Optional)
- Input Power: 50W
- Temperature control: Mechanical
- Defrosting: Manual
- G.W./N.W.: 45kg/50kg
- Product Size: 1020*595*835mm
- Packaging size: 1060*620*880mm
- Loading capacity (40'HQ): 114 units



BD-308

White



- Net capacity: 308L
- Freezer capacity: 308L
- Input voltage: DC12/24V/48V
AC100-240V (Optional)
- Input Power: 60W
- Temperature control: Mechanical
- Defrosting: Manual
- G.W./N.W.: 45kg/50kg
- Product Size: 1115*653*835mm
- Packaging size: 1170*680*880mm
- Loading capacity (40'HQ): 102 units



BD-408

White



- Net capacity: 408L
- Freezer capacity: 408L
- Input voltage: DC12/24V/48V
AC100-240V (Optional)
- Input Power: 80W
- Temperature control: Mechanical
- Defrosting: Manual
- G.W./N.W.: 45kg/50kg
- Product Size: 1325*713*835mm
- Packaging size: 1386*745*880mm
- Loading capacity (40'HQ): 72 units



BD-458

White



- Net capacity: 458L
- Freezer capacity: 458L
- Input voltage: DC12/24V/48V
AC100-240V (Optional)
- Input Power: 125W
- Temperature control: Mechanical
- Defrosting: Manual
- G.W./N.W.: 45kg/50kg
- Product Size: 1505*713*835mm
- Packaging size: 1566*745*880mm
- Loading capacity (40'HQ): 63 units



BD-528

White



- Net capacity: 528L
- Freezer capacity: 528L
- Input voltage: DC12/24V/48V
AC100-240V (Optional)
- Input Power: 145W
- Temperature control: Mechanical
- Defrosting: Manual
- G.W./N.W.: 45kg/50kg
- Product Size: 1645*713*835mm
- Packaging size: 1706*745*880mm
- Loading capacity (40'HQ): 63 units

Freshness Beyond the Grid

